

Aerodynamic and Flexible Trucks for Next Generation of Long Distance Road Transport

EUROPEAN COMMISSION Horizon 2020 | GV-09-2017 | Aerodynamic and Flexible Trucks GA - 769658

Deliverable No.	AEROFLEX D4.1	
Deliverable Title	Use cases and requirements defined for smart loading units (SML) in a multi-modal context and KPIs	
Deliverable Date	30-04-2018	
Deliverable Type	REPORT	
Dissemination level	CO - Confidential, only for members of the consortium (including the Commission Services)	
Written By	Magnus JV Olbäck (Volvo) Anika Lobig (DLR) Agnes Eiband (Fraunhofer IML) Ton Bertens (VEG) Eric Fehen (UIRR)	2018-03-31
Checked by	Anika Lobig (DLR), internal review Agnes Eiband (Fraunhofer IML) Ton Bertens (VEG)	2018-04-25
Approved by	Cor van der Zweep (Uniresearch) Ben Kraaijenhagen (MAN) - Coordinator	2018-04-30
Status	FINAL	2018-04-30



Publishable Executive Summary

The aim of WP4 on 'Smart loading units' (SML's) is to investigate the potential to improve transport efficiency by flexible solutions for load optimization and load efficiency of vehicle combinations, considering the use of single trucks, tractor and semitrailer combinations (16.5 m), and truck, dolly and semitrailer combinations (25.25 m). The WP aims to develop and design solutions for prioritized transport segments where transport flows are considerable and where the impact of efficiency improvements is high. Flexible solutions for load optimization and load efficiency of the relevant European vehicle portfolio (vehicle combinations e.g. single trucks, tractor and semitrailer combinations (16.5 m), and truck, dolly and semitrailer combinations (25.25 m)) have to be developed to improve transport efficiency of freight and logistics in a multi-modal context. Solutions for prioritized transport segments must be developed and designed where transport flows are considerable and where the impact of efficiency is high.

In order to achieve the various goals of the task 4.1 the involved partners based their research methodlogy on three aspects: (1) a literature analysis of all relevant studies, projects, articles, (2) organisation of specific workshops and condution of bi-lateral interviews with relevant stakeholders and (3) collection of requirements from other AEROFLEX WPs. For the purpose of this project, the concept of 'Smart Loading Units' (SMLs) should at least cover the following features and functions: intelligent and safe, full access security, load optimisation, fast interoperability, aerodynamic design, telematics-friendly and fit for intermodal.

The analysis of the various Combined Transport markets, in particular the road-rail combination demonstrates clearly that the most utilised loading units is the standardised maritime container (20', 30' and 45'), both in international and domestic CT (maritime hinterland transport). However, the continental CT market with swap bodies and semi-trailers is in progress with a clear trend of shiting more semi-trailers onto rail. It is agreed that within the AEROFLEX project the new smart loading unit should be compatible with rail wagons and ferries and should be designed and compatible for vertical craning. Among the 1,000 available terminals in Europe, it is that the main used transhipment technologies in combined transport terminals are still cranes and reach steacker necessary for the the vertical transhipment). However, it has been recommended that the SML should be tested and demonstrated for both types of handlings (vertical and horizontal).

The digitalisation of the transport freight market is in progress thanks to namely the transformation of the assets (semi-trailers, boxes, wagons, cranes, locomotives) into smart devices necessary to fullfill the requirements of the Physical Internet concept and vision as developed by the LSPs in the ALICE platform. The end-users will benefit from these digitalised assets of a bundle of information (tracking and tracing, energy consumption, mileage...) allowing a fully (automatic) optimisation of the logistic routings taken into account the energy consumption and environmental footprint.

Use cases relevant for the AEROFLEX project have been identified and discussed with the stakeholders. These cases are based on four criteria that can be mixed up (1) a volume -based scenario (2) a weight-based option, (3) an intermodal case and (4) a distance-based case (urban, medium and long-haul transport). In this task, the pre-seleted use cases (10 in total) have been briefly described at this stage. The final selection will be validated by the General Assembly in May 2018 in cooperation with the sounding Board. The aim is to select at least three use case with one covering intermodal transport. For all use cases, specific preliminary KPI's have been chosen and registered in six specific categories: transport efficiency, operational parameters, vehicle uptime, loading parameters, safety and limitations and digital and IoT. The final list of KPIs will be elaborated based on the input of the markets (sounding board) and of the other WPs.

Thanks to the bilateral contacts and organization of workshops with LSPs and other stakeholders of the transport chain, a first catalogue of user requierments has been established and split into categories (logistic operational aspects, operational time, flexibility, (smart) oading units). All these requirements must be taken into consideration when choosing the use cases of the AEROFLEX project.



11 Acknowledgement

The author(s) would like to thank the partners in the project for their valuable comments on previous drafts and for performing the review.

Pro	Project partners:		
#	Partner	Partner Full Name	
1	MAN	MAN TRUCK & BUS AG	
2	DAF	DAF Trucks NV	
3	IVECO	IVECO S.p.A	
4	SCANIA	SCANIA CV AB	
5	VOLVO	VOLVO TECHNOLOGY AB	
6	CRF	CENTRO RICERCHE FIAT SCPA	
7	UNR	UNIRESEARCH BV	
8	SCB	SCHMITZ CARGOBULL AG	
9	VEG	VAN ECK BEESD BV	
10	TIRSAN	TIRSAN TREYLER SANAYI VE TICARET A.S.	
11	CREO	CREO DYNAMICS AB	
12	MICH	MANUFACTURE FRANCAISE DES PNEUMATIQUES MICHELIN	
13	WABCO	WABCO Europe BVBA-SPRL	
14	CHALM	CHALMERS TEKNISKA HOEGSKOLA AB	
15	DLR	DEUTSCHES ZENTRUM FUER LUFT - UND RAUMFAHRT EV	
16	FHG	FRAUNHOFER GESELLSCHAFT ZUR FOERDERUNG DER ANGEWANDTEN FORSCHUNG E.V.	
17	HAN	STICHTING HOGESCHOOL VAN ARNHEM ENNIJMEGEN HAN	
18	IDIADA	IDIADA AUTOMOTIVE TECHNOLOGY SA	
19	NLR	STICHTING NATIONAAL LUCHT- EN RUIMTEVAARTLABORATORIUM	
20	TML	TRANSPORT & MOBILITY LEUVEN NV	
21	TNO	NEDERLANDSE ORGANISATIE VOOR TOEGEPAST NATUURWETENSCHAPPELIJK ONDERZOEK TNO	
22	MHH	MEDIZINISCHE HOCHSCHULE HANNOVER	
23	UIRR	UNION INTERNATIONALE DES SOCIETES DE TRANSPORT	
		COMBINE RAIL-ROUTE SCRL	
24	WABCO-NL	WABCO AUTOMOTIVE BV	
25	WABCO-DE	WABCO GMBH	



This project has received funding from the European Union's Horizon2020 research and innovation programme under Grant Agreement no. **769658**.

Disclaimer

This document reflects the views of the author(s) and does not necessarily reflect the views or policy of the European Commission. Whilst efforts have been made to ensure the accuracy and completeness of this document, the AEROFLEX consortium shall not be liable for any errors or omissions, however caused.